

THQ HOSPITAL BUREWALA

Tender No. 07/2021 Lab Items


FINNACIAL EVALUATION


FY 2021-22 Date


Sr#	Name of Item	Company Brand	Packing	Qty	G.Rehas Ester	Sami Enterprises	Human Medical Services	HADI ENTERPRISES	AROOJ GROUP INTER.	Sakab International PVT. Ltd	Js Enterprises	Sajjad Enterprises
1	RA- Factor	Human	1*100	15	Human 4340	Human 4002	lab kit, 100 1990	Human 4461	biomed 2250	BMS Span 2400	Labkit 1750	Human 2x50ml 16008
	status					1st lowest	technically rejected		technically rejected	technically rejected	technically rejected	
2	Blood Sugar	MERK	1*1000	15	MERK 3965	MERK 4197.5	M.D.100 0ml 3750	MERK 3449	bio med 2250	BMS Span 3200	Bioactiva 2815	MERK 3600
	status						technically rejected	1st lowest	technically rejected	technically rejected	technically rejected	
3	Blood Urea (UV)	DIASYS	R1 4x20 ml.	40	DIASYS 3595	DIASYS 3289	inoline, M.D.5x1 8850	DIASYS 3449	human or equivalent 6500	BMS Span 5000	Vitro 4697	DIASYS 3475
	status						technically rejected	1st lowest	technically rejected	technically rejected	technically rejected	
4	Serum Creatinine	DIASYS	R1 5x30 ml, R2 1x100ml	25	DIASYS 2540	DIASYS 4841.5	inoline, M.D.6x1 00ml 5600	DIASYS 2398	human or equivalent 7500	BMS Span 2700	Labkit 4570	DIASYS 5114
	status						technically rejected	1st lowest	technically rejected	technically rejected	technically rejected	
5	Serum Uric Acid	HUMAN	120ml	15	HUMAN 3348	HUMAN 3087	Ac100ml 123ml 8462 7539	HUMAN 3841	human or equivalent 120ml 4650	BMS Span 3600	Labkit 6880	HUMAN 2877
	status						1st lowest			technically rejected	technically rejected	
6	Serum Bilirubin	DIASYS	R1 1x90, R2 1x25 R3 1x100, R4 2x100	20	DIASYS 12499	DIASYS 5554.5	Human 2x100ml 3407	DIASYS 5798	human or equivalent 4500	BMS Span 2700	Labkit 2360	DIASYS 5867
	status					1st lowest	technically rejected		technically rejected	technically rejected	technically rejected	
7	Serum ALT (SGPT)	HUMAN	1x500	20	HUMAN 12350	HUMAN 5819	Human 8x50ml 6746	HUMAN 3684	human or equivalent 7500	BMS Span 8200	Labkit 7820	HUMAN 6425
	status							1st lowest		technically rejected	technically rejected	
8	Serum AST	HUMAN	1*500	20	HUMAN 12350	HUMAN 6923	Human, 7623	HUMAN 5304	human or 7500	BMS Span 2500	Labkit 7824	HUMAN 6525
	status							1st lowest		technically rejected	technically rejected	
9	Serum Alkaline PH	HUMAN	1*500	20	HUMAN 7440	HUMAN 7475	inoline, 5x100ml 7650	HUMAN 4194	human or equivalent 7500	BMS Span 5000	Labkit 8000	HUMAN 7873
	status						technically rejected	1st lowest		technically rejected	technically rejected	
10	CBC Vials	K.M star, china	1*100	25000	synal 5.65	K.M star, china 5.29	china, 1x 100 6.5	K.M star, china 499	4.99 bolton 6.75	imported 650	XNite/bio vac 580	K.M star, china 5.49
	status							1st lowest				
11	Serum Vials	K.M star, china	1*100	10000	synal 5.9	K.M star, china 6.325	china, 1x 101 10.9	K.M star, china 7.9	synle 9	imported 850	XNite/bio vac 8.4	K.M star, china 8.99
	status				1st lowest							
12	Glass Slides	CE marked	1*50	200	china pack of 65 142/65 2.18/pc	CE marked 132.25 2.6/pc	china 210	CE marked 139	2.78/pc china, 1x50 2.6	130 CE Marked Imported 90 1.8	165 2.91	CE marked 1.25 62 5:50
	status											1st lowest
13	Blood Lances	CE marked	1*200	200	CE marked 210	CE marked 178.25	not quoted china	CE marked 179	china, 1x15 190	CE Marked Imported 350	Imported 240	CE marked 1.1 220
	status					1st lowest						
14	Combi-3	Medi-test	1*100	40	Medi-test 1052	Medi-test 1092.5	acon USA, 100 390	china 210	china 350	Imported 450	China 420	Medi-test 1075
	status				1st lowest		technically rejected	technically rejected	technically rejected	technically rejected	technically rejected	
15	Combi-10	Medi-test	1*100	15	Medi-test 1674	Medi-test 1840	acon USA, 100 1050	china 899	china 850	Bloway 950	China 870	Medi-test 1850
	status						technically rejected	technically rejected	technically rejected	technically rejected	technically rejected	1st lowest
16	Blood Group Set	diagest	Each	50	diagest 1270	diagest 1207.5	diagest rch, 3x10 ml 1050	diagest 1260	best quality 1250	Antec UK 945	Forsure 820	diagest 1199
	status				1st lowest		technically rejected	technically rejected	technically rejected	technically rejected	technically rejected	
17	HBs Ag Devices	D-S	Each	10,000	D-S 14.76	D-S 14.375	D-S 14.5	D-S 16.5	accu sing/healg en 16	D-S/Healgen USA 22	Exact/Bio check 678	D-S 15.79
	status				1st lowest				technically rejected	technically rejected	technically rejected	
18	Anti HCV Devices	D-S	Each	10,000	D-S 27	D-S 25.875	D-S 27.5	D-S 28	accu sing/healg en 26	D-S/Healgen USA 33	Exact/Bio check 1078	D-S 27.98
	status				1st lowest				technically rejected	technically rejected	technically rejected	
19	MP Devices	D-S	Each	1000	D-S 54.56	D-S 50.6	D-S 53	D-S 51	accu sing/healg en 48	D-S/Healgen USA 68	Exact/Bio check 1980	D-S 53.25
	status				1st lowest				technically rejected	technically rejected	technically rejected	
20	Typhoid Devices	Accurate	Each	500	Accurate 66.95	Accurate 62.1	D-S 56	Accurate 65	accu sing/healg en 75	Accurate/Healgen USA 90	Exact/Bio check 2300	Accurate 68
	status				1st lowest		technically rejected		technically rejected	technically rejected	technically rejected	
21	Pregnancy Devices	Accurate	Each	200	Accurate 6.95	Accurate 6.325	D-S 9	Accurate 5.5	accurate 7	Accurate/Healgen USA 9	Exact/Bio check 8.1	Accurate 6.49
	status						technically rejected	1st lowest		technically rejected	technically rejected	
22	Yellow Tips	CE marked	Pack of 500 tips	40	china 215	CE marked 195.5	china, 1000 pieces 240	CE marked 199	best quality 290	CE Marked HCBIO Life Sciences USA 200	Imported 220	CE marked 220
	status				1st lowest							
23	Distilled Water	CE marked	Pack of 5 litre	50	local 112	CE marked 115	not quoted local	CE marked 108	best quality 250	CE Marked Local 250		CE marked 145
	status							1st lowest				
24	Urine Containers	CE marked	Each	20,000	local 5.9	CE marked 6.325	local 11.9	CE marked 4.9	best quality 8	CE Marked Ultra 6.5	Imported 5.95	CE marked 8.25
	status											


NEW


25	Diatron Lyse	Ahasus-380	1 litre	30	not quoted	Ahasus-380	9100	1 litre	15600	not quoted	sharus 380	18000	Ahasus-380	12000	Diatron (turkey)	9950	Ahasus-380	8800							
	status																								
26	Diatron Cleaner	Ahasus-380	1 litre	25	not quoted	Ahasus-380	7150	1 litre	6600	not quoted	sharus 380	18000	Ahasus-380	8400	technically rejected		Ahasus-380	7500							
	status																								
27	Diatron Diluent reagent	Ahasus-380	20 litre packing	60	not quoted	Ahasus-380	9160	20 litre	12600	not quoted	sharus 380	18000	Ahasus-380	8000	1st lowest	technically rejected		Ahasus-380	8800						
	status																								
28	Plastic Test Tubes	CE marked	Each	25000	china	CE marked	690	china, 1x	990	CE marked	1.44	china	800	CE Marked Imported	2	Imported	850	CE marked	1.7						
	status																								
29	HIV Devices	D-S	Each	1000	D-S	D-S	39.65	D-S, 1x2.5	34	D-S	35.9	single/healg en	D-S/Healg en USA	Exact/Din check	3	1276	D-S	35.90							
	status																								
30	VDRL	D-S	Each	1000	D-S	D-S	39.65	D-S,	29.9	D-S	34.8	accu	USA	40	check	1360	D-S	34.75							
	status																								
31	Cholestrol	HUMAN	*100	15	HUMAN	3844/120	32/ml	HUMAN	3501.75	Human 4x100ml	7076	17.60/ml	HUMAN	3984	human or equivalent	4150	41.5/ml	Human250ml	3950	14.64/ml	label	7140	HUMAN	2548	29.45/ml
	status																								
32	Dengue Devices	D-S	Each	200	D-S		198	not quoted		D-S, NS1 IGM	280	250	D-S	210	accu sing/healg en	290	D-S/Healg en USA	300					D-S	196	
	status																								
33	Blue Tips	CE marked	PACK OF 500 tips	10	china	CE marked	260	china 500	241.5	CE marked	200	best quality	350	CE Marked HC BIO Life Sciences USA	250	imported	295	CE marked	220						
	status																								
34	Spirit	CE marked	Pack of 5 litres	100	packs	not quoted		not quoted		not quoted	CE marked	199	not quoted	CE Marked Local	1500			CE marked	145						
	status																								


 Mari Muzir Zahir
 Procurement Officer
 Member
 Procurement Committee


 Mr. Saadul Hameed
 ITSC Admin Officer
 Member
 Procurement Committee


 Dr. Iftikhar Ahmad
 Senior Medical Officer
 Member
 Procurement Committee


 Dr. Tahir Hussain
 Consultant Chest Specialist
 Member
 Procurement Committee


 Dr. Inam Ahmad
 Medical Superintendent
 Chairman Procurement Committee

THQ HOSPITAL BUREWALA

Tender No. 07/2021 Lab Items

Technical Evaluation

FY 2021-22

Date

Sr #	Mandatory criteria	G.Rehan Enter	Sami Enterprises	Human Medical Services	HADI ENTERPRISE S	AROOJ GROUP INTER.	Sahab International PVT. Ltd	Js Enterprises	Sajjad Enterprises
1	Original receipt for purchase of tender	Yes	Yes	Yes	Yes	Yes	Yes	yes	Yes
2	Bid Security in the form of CDR/BANK DRAFT	Yes	yes	Yes	Yes	Yes	Yes	yes	Yes
3	NTN registration certificate	Yes	Yes	Yes	Yes	Yes	Yes	yes	Yes
4	Affidavit as per tender docs	Yes	Yes	Yes	YES	Yes	Yes	yes	Yes
5	Firm profile	YES	Yes	Yes	Yes	Yes	Yes	yes	Yes
6	Income tax return of last year (FY 2019-2020)	Yes	Yes	Yes	Yes	Yes	Yes	yes	Yes
7	Goods quality certificates/ authorized distributor certificate	yes	Yes	Yes	Yes	yes	Yes	yes	Yes
	Status	RESPONSIVE	RESPONSIVE	RESPONSIVE	RESPONSIVE	RESPONSIVE	RESPONSIVE	RESPONSIVE	RESPONSIVE

Maida

Ms. Maida Zafar
Procurement Officer
Member
Tech. Evaluation Committee

Dr. Ayaz Nabi

Dr. Ayaz Nabi
Dental Surgeon
Member
Tech. Evaluation Committee

Tasleem Kauser

Dr. Tasleem kauser
Gynaecologist
Chairman Tech. Evaluation Committee

Umer Draz

Mr. Umer Draz
Finance & Budget Officer
Member
Tech. Evaluation Committee

Mr. Naqem Arslan

Mr. Naqem Arslan
Lab Technologist
Member
Tech. Evaluation Committee